

## USB AOC Series Cables




## USB AOC Cable

USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version

### Specification

Connector Type	USB Type A Male & USB Type C Male
Data Rate	10 Gbps
Power Consumption	0.5 W Max
Supported Distance	50 M
Operating Temperature	-40°C ~ +70°C
Cable Outer Diameter	4.5 mm
Cable Jacket	PVC

### Interface Dimension



**Order Information**

<b>Part Number</b>	<b>Description</b>
PK3UBU001701-1	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 5M
PK3UBU001701-2	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 10M
PK3UBU001701-3	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 15M
PK3UBU001701-4	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 20M
PK3UBU001701-5	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 25M
PK3UBU001701-6	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 30M
PK3UBU001701-7	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 40M
PK3UBU001701-8	USB3.2 Gen 2 Type A Male to Type C Male AOC Cable, Not Downward Compatible Version, 50M